Please type a plus sign (+) inside this box ->	+
--	---

PTO/SB/08B (08-00 Approved for use through 10/31/2002. OMB 0651-0031

	U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
lader the December Particular Art of 1905, as now	ons are required to respond to a collection of information unless it contains a valid OMB control number.
Jildei die Padeiwork Reduction Act di 1939, No deis	DIS AIR REQUESO O RESPOND O S CONSCION OF BIOTHERION CHIESES II COMBRIS S VERO CHIES SOND SOND STREET

Substitute for form 1449B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT		Complete if Known		_f	
		Application Number	New patent appln		
		Filing Date		\exists	
		First Named Inventor			
OTATEMENT OT ALL CIOALIT			Group Art Unit		
(use as many sheets as necessary)		Examiner Name			
Sheet	1	of 1	Attorney Docket Number	TR-025	E

		Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the	7				
Examiner Initials	No.1	Item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-Issue number(s), publisher, city and/or country where published. The ATM Forum, Technical Committee, Inverse Multiplexing for ATM (IMA) Specification Version 1.1, AF-PHY-0086,001, March 1999.					
ВР							
BP		"Amendment to Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and					
ВР		Physical Layer Specifications - Aggregation of Multiple Link Segments", IEEE Std 802.3ad-2000, (approved 30 March 2000 IEEE-SA Standards Board),					
		pp. 95-173.					
-	,						
· · · · · · · · · · · · · · · · · · ·							
		<u> </u>	\downarrow				

I rendw # . Tham | Considered | 1/30/05

¹ Unique citation designation number. ² Applicant is to place a check mark here if English language Translation is attached.



^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.